

FIG. 1




FIG. 2




FIG. 3

LOCAL OSCILLATOR FREQUENCIES: Station 1 = 70.176 GHz Station 2 = 70.203 GHz Station 3 = 70.230 GHz Station 31 = 70.986 GHz Station 32 = 71.013 GHz




FIG. 4




FIG. 5




FIG. 6







FIG. 7





-24.000 ns 1.000 ns 26.000 ns 5.00 ns/div Real time 2 200 mV/ 0.00000 V

RECEIVER SIGNAL FROM BERT 200



-4.000 ns 1.000 ns 6.000 ns 1.00 ns/div Real time 2 500 mV/ 0.00000 V

RECEIVER SIGNAL FROM BERT 200




FIG. 11A

RECEIVER (STATION A)





FIG. 11B1






FIG. 12A

RECEIVER (STATION B)






FIG. 12B1



SPECTRUM PLANNING DIAGRAMS (STATION A)







FIG. 13A

SPECTRUM PLANNING DIAGRAMS (STATION B)






FIG. 13B




FIG. 14




FIG. 15A




FIG.15B




FIG.15C




FIG. 16

TOP VIEW




FIG. 17A

SIDE VIEW




FIG. 17B

TOP VIEW





FIG. 18A

END VIEW






FIG. 19




FIG. 20




FIG. 21A




FIG. 21B




FIG. 21C




FIG. 22




FIG. 23A




FIG. 23B




FIG. 23C